

GLOBE®

MADE IN ITALY

since
1961

New!!!

TYPE 42



PATENTED

XCELLENCE-ONE

EXCLUSIVE
PACK®
IN BOXES
OF 25 PIECES

THICKNESS: 1.0 mm



STRAIGHT
CUTS



VERY LOW HEAT
DEVELOPMENT
NO CUTTING BURRS



EASE OF USE



HIGHER CUTTING
SPEED



FLUSH
CUTS



PERFECT BALANCE
NO FLUTTERING



NO
VIBRATIONS



EXTREME
RIGIDITY

TEST THE BEST

- EXTRA THIN CUTS, HIGH PRECISION
- HIGH CUTTING SPEED
- EXTRA LONG DURABILITY
- NO PITTING, NO DISCOLORING, NO BURRS



THIN CUTTING


THE MOST PRECISE THIN DEPRESSED CENTER CUTTING DISC ON THE MARKET

XCELLENCE-ONE is the revolutionary cutting tool for precision cutting operations; manufactured using the finest and highest performance abrasives. Offering an extra-long life and extra thin cuts. The PATENTED narrow raised center is the smallest in the market and allows more and deeper cuts than any other competitor.

ALL THE ADVANTAGES OF GLOBE XCELLENCE-ONE

- HIGH RIGIDITY AND EXTREME PRECISION CUTS: ALLOWS TO MAKE FAST, EASY, STRAIGHT AND ACCURATE CUTS ON PIPES OR STAINLESS STEEL SHEETS.
- EXTRA THIN CUTS.
- NO BURRS: NO NEED FINISHING EDGES AFTER CUTS.
- COOL CUTS: WITHOUT METAL OVERHEATING OR DISCOLORING.
- HIGHEST DURABILITY AND SPEED: ENSURES THE LOWEST COST PER CUT.
- NO CONTAMINATION (FE,S,CL FREE): FORMULATION FOR USE ON STAINLESS STEEL.
- EXTRA SAFETY: STRONG REINFORCEMENTS TO COMPLY THE MOST STRICT SAFETY STANDARDS.
- FLUSH CUTS: WITH THRE SPECIAL FLANGE.
- NO VIBRATIONS, NO BENDING, NO FLUTTERING.

THE METAL NARROW DOME PATENTED



Increased cutting penetration force of the XCELLENCE-ONE with "narrow dome" compared to a traditional depressed center disc.

The special shape, carefully conceived, of the depressed center minimizes the dimension of the dome to the advantage of the flat part. This allows to carry out more and deeper cuts obtaining the same durability and cutting capacity of a flat disc with the additional advantage of more rigidity and control.

MATERIALE	DIMENSIONI (diam. - spess. - foro) mm	DUREZZA	VEL. D'USO	CODICE ARTICOLO	PLUS LINE	
INOX & ACCIAIO <small>(Fe, S, Cl < 0,1%)</small>	115x1,0x22,23	ZA 60 SXBF	80 m/s	G1583 •	25pz	DURATA DEL DISCO ●●●●●● VELOCITÀ DI TAGLIO ●●●●●● PULIZIA DI TAGLIO ●●●●●●
	125x1,0x22,23	ZA 60 SXBF	80 m/s	G1584 •	25pz	
STONE <small>TRAIN-CUT</small>	115x1,0x22,23	C 60 SBF	80 m/s	G1593	25pz	DURATA DEL DISCO ●●●●●● VELOCITÀ DI TAGLIO ●●●●●●

THIN CUT was conceived to carry out very thin cuts of tile joints. It cuts out the broken tile without damaging the nearby ones. The ultra-thin thickness allows to cut even the narrower tile joints.



The shape of a narrow dome with metal reinforcement gives unparalleled rigidity allowing to perform straight and precise cuts very easily.




The narrow dome allows a greater cutting depth, while the very reduced thickness allows (on stainless steel sheets and profiles) thin cuts without burrs, discoloring and pittings.

BUILT-IN STEEL PROTECTION FLANGE



The metal dome **A** of the XCELLENCE-ONE disc guarantees more safety, avoids damages to the depressed center **B** and decreases vibrations thus increasing cutting precision and rigidity.



Thanks to the use of the special "SPACER" and to the depressed center shape, the machine shaft and the locknut do not extend from the dome cavity thus enabling the operator to carry out flush cuts in a comfortable and safe position. The depressed center shape gives more rigidity than a flat disc, prevents bending allowing to make perfectly straight cuts.



INDUSTRIA ABRASIVI PARMENSE-GLOBE s.r.l.

Via La Spezia, 160 - 43126 Parma - Italy

Tel. +39.0521.293943 - export@globeabrasives.com - www.globeabrasives.com

